

Stannah Midilift CL

Safe, stylish, and reliable:
cabin platform lifts for home
and commercial access



Stannah



Elegance and accessibility, combined

If you're seeking convenience and comfort, our range of cabin platform lifts might be your perfect fit.

Carefully designed for passenger movement – with a cabin and choice of controls – our Midilift CL can bring the confidence of a familiar lift experience into a wider range of settings.

At Stannah, we've successfully installed thousands of cabin platform lifts just like these, all over Great Britain. And now, we're launching a new era of safe, efficient, and environmentally friendly lifts for home and commercial use.

It's your lift, your way.

CONTENTS

About Midilift CL	4
Specifications	6
Finishes & options	8
Lift car & shaft dimensions	12
Order & installation process	14



A welcoming space – tailored to your environment

With a comprehensive range of lift cars, finishes, and materials – as well as indoor and outdoor options – Midlift CL has the versatility to suit all kinds of public and residential environments. Whatever your vision, we have the colours and textures to look the part.

Importantly, they'll also fit your space. All our lifts require a minimal pit as standard but can be placed on a finished floor with a ramp if a pit is not possible. This means you can enjoy the convenience of a cabin lift even when limited depth or headroom makes other lifts difficult.

Energy efficient comfort – with simple installation

Our Midlift CL cabin platform lifts are built to meet the needs of vertical mobility in all private and public environments, with its hydraulic drive and microprocessor control system ensuring a smooth and quiet ride every time.

The smooth operation and stylish cabin provide a superior level of comfort and ease of use, whilst staying true to the typical small footprints and reduced builders work typical of these lifts.

But they're also built to consume as little energy as possible. The CL lift offers low energy consumption and uses a single phase power supply, with features such as green LED technology and energy saving programming.

Robust safety and quality you expect from market leaders

We take safety extremely seriously, so we ensure every lift built and installed complies with our strict industry regulations and company processes.

Helping comply with the Equality Act, Part M Building Regulations (England and Wales), and Section 4.2 of the Building Regulations Technical Handbook (Scotland).

Our platform lifts comply with the following:

- EN81-41:2010 – Vertical lifting platforms intended for use by persons with impaired mobility
- UKCA marking – All our lifts are UKCA marked and comply with the Supply of Machinery (Safety) Regulations 2008 (2008 No. 1597)

We work to ISO 9001, ISO 14001, ISO 45001 certifications. We're also an active member of the Lift and Escalator Industry Association (LEIA) – an advisory body helping drive best practice across the industry.



And remember, it's from Stannah

When you choose the Stannah name, you get the kind of support that only comes from a family business – with five generations of lift expertise.

From your initial enquiry to installation and beyond, our friendly experts will support you every step of the way to deliver your ideal cabin platform lift.

If you're a private homeowner looking to future-proof your building or add a little extra luxury, we can work alongside your contractor to make your vision a reality. Likewise, commercial customers can deliver stylish, compliant accessibility that satisfies the Equality Act.

Plus, every model has a two-year warranty, including four service visits per year for added peace of mind.

Simple, cost-effective access for all

The CL range delivers a traditional cabin platform lift experience with great features.

Key facts

Lift description	Platform lift with full height cabin
Max. no of stops	7 stops
Max. travel (m)	12m
Speed (m/s)	0.15 m/s
Load (kg)	250kg, 315kg, 385kg (depending on car size)
Application	Indoor or outdoor
Drive type	Hydraulic drive with remote control cabinet 700mm (w) x 400mm (d) x 1500mm (h)
Entrance configuration	Single / through / adjacent car/ three sides
Fixing	Structure supported / Wall mounted into shaft by others
Guide mounting	Side mounted / Rear mounted
Headroom	Internal car height + 350mm
Internal car height	2100mm as standard
Pit Depth	100mm or 140mm dependent on floor finish or ramp option
Control type	Constant pressure/ Automatic (with car door option)
Door type	Choice of cabin and landing doors
Power	Single-phase supply (25A Type C MCB)
Noise	Between 57-63 dB(A)


Technical features

	Standard	Optional
Lift structure	<ul style="list-style-type: none"> • Wall-mounted into shaft by others 	<ul style="list-style-type: none"> • Painted steel shaft structure in RAL 9016 (traffic white) finish with infills to match • Structure and infills painted in a different colour (RAL) • Clear glass infills
Controls	<ul style="list-style-type: none"> • Car and landing controls using standard round button with halo 	<ul style="list-style-type: none"> • Upgraded round button with halo and braille
Doors & operation	<ul style="list-style-type: none"> • Steel door with small vision panel (45 minute fire rated) • Flush-mounted stainless steel landing operating panel in door frame 	<ul style="list-style-type: none"> • Fully glazed manual landing door in RAL 9016 (traffic white) leatherette finish • Steel door with vision panel (45, 60 and 120 minute fire rated) • Landing operating panel with digital display • Landing operating panel flush mounted remotely
Lift car	<ul style="list-style-type: none"> • Vinyl skin plate lift car with half-height mirror and stainless steel handrail • LED energy efficient ceiling lift with switch off mode when not in use 	<ul style="list-style-type: none"> • Choice of car finishes and options (see pages 8-11) • Panoramic glass lift car • 4 hour emergency lighting in lift car ceiling
Car door	<ul style="list-style-type: none"> • No car door with full height safety light ray on car opening side(s) 	<ul style="list-style-type: none"> • Automatic bus-type stainless steel lift car door • Automatic bus-type stainless steel lift car door with glass window
Car operating panel	<ul style="list-style-type: none"> • Car emergency lighting on car operating panel • Door open push button • Overload device • Acoustic alarm push button • Voice announcer 	<ul style="list-style-type: none"> • Key switch • Card reader • Keypad • Volt free contacts for integration with customer control system
Communication & display	<ul style="list-style-type: none"> • Intercom • 3" digital car position indicator in lift car 	<ul style="list-style-type: none"> • Digital and LCD lift car displays • Autodialler with GSM with options for induction loop and Stannah Managed SIM service
Safety & security	<ul style="list-style-type: none"> • Full-height safety light ray on car entrance • Emergency lighting • Passenger release using manually operated pump 	<ul style="list-style-type: none"> • Keyswitch, card reader and/or keypad on car or landing operating panel • Automatic emergency rescue device
Warranty	<ul style="list-style-type: none"> • 2 year service warranty cover with 4 service visits per year 	<ul style="list-style-type: none"> • 24/7 service cover


Lift finishes & options – match the look to your project

We offer an ample choice of elegant lift cars which are both comfortable and hard-wearing. They can satisfy the most demanding tastes and needs, effortlessly blending in with the design setting.

1 Structure & infills




Traffic White
RAL 9016
LRV 87




Light Grey Finish
RAL 7035
LRV 57




Grey Aluminium
RAL 9007
LRV N/A



Anthracite Grey
RAL 7016
LRV 5




Jet Black
RAL 9005
LRV 0




Glasses
Natural Standard
INFILLS ONLY

2 Car floor


Rubber




Light grey circles
S42 GG
LRV 21,3



Black rubber circles
S45 GN
LRV 4




Dark Grey
S52 GN
LRV 13



Sand
S62 GG
LRV 55

Granite



Pearl Grey




Clear Labrador




Dark Labrador

Marble



Italian White



Portuguese Brown

140mm pit depth required on marble and granite floors. Floor by others available on request.

KEY

- Denotes standard option
- LRV = Light Reflecting Value

Please note:

Costs may vary and are dependent on the choice of finishes selected. The colours and designs reproduced in this document have been matched as closely as the scanning and printing process will allow. We recommend that you obtain samples prior to final specification. We are continually developing and improving our range of products and finishes and we therefore reserve the right to alter or amend the specification without prior notice.

Looking for something different?

Do you want your lift car specially made to fit to a certain dimension? Or blend in perfectly with the design of the building or home? Then simply speak to us and we can work with you to make your vision a reality.

3 Car walls

Skinplate




Warm White
P280
LRV 75




Beige
P222
LRV 61



Blue
P412
LRV 20



Grey
P422
LRV 47



Light Grey
P432
LRV 39



Cream
PB55
LRV 61




Red
P204
LRV 9




Green
P205
LRV 15




Orange
P 209
LRV 37



Light wood effect
PB65
LRV 36



Medium wood effect
PB70
LRV 14



Dark wood effect
PB75
LRV 7



Platinum
PB80
LRV 36




Grey leather
PB60
LRV 25


Formica



Birch
P301
LRV 39



White
P302
LRV 74



Beige
P303
LRV 56




Deep Blue
P304
LRV 8




Deep Red
P305
LRV 7



Grey
P306
LRV 26



Red
P307
LRV 15




Orange
P308
LRV 42




Yellow
P309
LRV 41



Light Green
P310
LRV 41



Green
P311
LRV 17



Sky Blue
P312
LRV 61




Turquoise
P313
LRV 21




Grey
P314
LRV 9




Black
P315
LRV 4



Light oak
P316
LRV 28-36



Dark oak
P317
LRV 13



Dark walnut
P318
LRV 9




Grey timber
P319
LRV 13-21


Lift finishes & options – match the look to your project

3 Car walls


Stainless steel



Brushed silver
LRV 66




Elephant Skin
LRV 76,6




Linen
LRV 79

4 Mirrors & handrails

Mirrors



1/2 height
mounted on rear wall



Full height
(1/3 of car wall width)

Handrails




PS12
Single round stainless steel
(35mm diameter)




PS14
Double round stainless steel
(35mm diameter)


5 Ceilings



Spot LED
Direct lighting using 2 x LED spots in silver
surround on painted metal
(RAL9016 traffic white)



I LED
Direct lighting using 2 x LED spots in gold
surround on painted metal
(RAL9016 traffic white)



L350
Suspended white ceilings with indirect lighting


KEY

● Denotes standard option
LRV = Light Reflecting Value

6 Operating panels, displays and buttons

Car operating panel

Full height, surface mounted car operating panel



Car push-buttons & key switches



PCEB



PCMT




PCENK




PCSTK

Car displays




DCEPH
3" digital car
floor and level
indicator



7" full-colour
car floor level
and direction
indicator


Landing operating indicators and panels



HLE0
LCD display with
landing designation




HLE6
LCD display with
landing designation



BEE3



BEE4



BEE5

7 Doors



Hinged landing door with vision panel



Fully glazed hinged landing door



Automatic bus-type lift car door
(with or without vision panel)

Lift car & shaft dimensions

Single entrance (mechanism rear mounted)

250kg			
Car (inside) A × B	Shaft (inside) C × D	Clear opening E	Frame width F
1100 × 900	1355 × 1010	700	950
1000 × 1000	1255 × 1110	800	1050
900 × 1100	1155 × 1210	900	1150
800 × 1250	1055 × 1360	900	1150
600** × 770**	855 × 880	600	850

315kg			
Car (inside) A × B	Shaft (inside) C × D	Clear opening E	Frame width F
1100 × 1125	1355 × 1235	900	1150
1100 × 1000	1355 × 1110	800	1050
1000 × 1250	1255 × 1360	900	1150
900 × 1300	1155 × 1410	900	1150
700** × 870**	955 × 980	700	950

385kg			
Car (inside) A × B	Shaft (inside) C × D	Clear opening E	Frame width F
1100 × 1400 #	1355 × 1510	900	1150
1100 × 1200	1355 × 1310	900	1150
1000 × 1300 ‡	1255 × 1410	900	1150
900 × 1400	1155 × 1510	900	1150
900** × 970**	1155 × 1080	800	1050


Through entrance (machinery side mounted)

250kg			
Car (inside) A × B	Shaft (inside) C × D	Clear opening E	Frame width F
1100 × 900	1355 × 1010	900	1150
1000 × 1000	1255 × 1110	900	1150
900* × 1100	1155 × 1210	800	1050
800* × 1250*	1055 × 1360	700	950
685** × 750**	940 × 860	600	850

315kg			
Car (inside) A × B	Shaft (inside) C × D	Clear opening E	Frame width F
1100 × 1125	1355 × 1235	900	1150
1000 × 1250	1255 × 1360	900	1150
900* × 1400* ‡	1155 × 1510	800	1050
800* × 1400	1055 × 1510	700	950
800** × 750**	1055 × 860	700	950

385kg			
Car (inside) A × B	Shaft (inside) C × D	Clear opening E	Frame width F
1110* × 1400* #	1355 × 1510	900	1150
1110* × 1200	1355 × 1310	900	1150
1000 × 1300	1255 × 1410	900	1150
900 × 1400 ‡	1155 × 1510	800	1050
900** × 1150**	1155 × 1210	800	1050

Built shaft



NOTES:

* For Type A wheelchairs (prEN81-41).

** Smaller lift car available.

‡ Part M (England and Wales) compliant.

Part M (England and Wales) and Section 4.2 (Scotland) compliant.

All dimensions are in mm.

Shaft dimensions are for wall-mounted configuration please contact us for structure dimensions.

We have a wealth of materials and resources to aid with the selection and specification of your lift, including finishes and options, technical datasheets, CAD resources and NBS Specifications. Please call us on 01264 351922 or visit stannahlifts.co.uk for more information and technical advice.

Adjacent and three sides

250kg


Car (inside) A x B	Shaft (inside) C x D	Clear opening E	Frame width F
1100 x 900	1355 x 1010	900/600	1150/850
1000 x 1000	1255 x 1110	900/700	1150/950
900* x 1100	1155 x 1210	800/800	1050/1050
800* x 1250*	1055* 1360	700/900	950/1150
685** x 850**	940 x 960	600/600	850/850

315kg

Car (inside) A x B	Shaft (inside) C x D	Clear opening E	Frame width F
1100 x 1125	1355 x 1235	900/800	1150/1050
1000 x 1250	1255 x 1360	900/900	1150/1050
900* x 1400*	1155 x 1510	800/900	1050/1150
800* x 1400	1055 x 1510	700/900	950/1150
800** x 950**	1055 x 1060	700/700	950/950

385kg

Car (inside) A x B	Shaft (inside) C x D	Clear opening E	Frame width F
1100* x 1400* #	1355 x 1510	900/900	1150/1150
1100* x 1200	1355 x 1310	900/900	1150/1150
1100 x 1125	1355 x 1235	900/800	1150/1050
1000 x 1300	1255 x 1410	900/900	1150/1150
900** x 1100**	1155 x 1210	800/800	1050/1050



The nation's lift specialist – for more than 150 years

The Stannah family has been installing and servicing lifts across Great Britain since 1867. That heritage brings some important benefits.

Naturally, we want you to get the perfect lift experience. But we understand that goes beyond just delivering a product. It also means being there when it matters most.

Whether you're a homeowner or a professional, you'll enjoy a tailored service, including on-site planning, a dedicated project engineer and technical and maintenance support post installation.



In fact, we make the same four commitments to every customer:

- ✓ A company you can rely on
- ✓ Costs that make sense
- ✓ Superior service and ongoing care
- ✓ Quality guaranteed

Six steps to your ideal lift



You make contact

You can contact us via email or phone to get started on your Stannah journey, sending any photos, project details, building drawings or required specification you may have.



We'll provide a free no-obligation quote

Based on your information we can either supply a free no-obligation quote or if needed we'll get in touch to visit your home or commercial location to discuss your options.



Confirm your interest

Once you've decided to proceed, and you're happy with the quote, just give us a quick call and we'll begin finalising contracts and getting to work on your builder's work drawings and requirements to enable you to get the site ready for lift installation.



Getting site ready

Working to our product delivery timescales and any project deadlines, as the project progresses your dedicated project engineer will visit. They'll run through the lift specification with you and complete any dimensional checks we need before installation.



Installation begins

Two of our NVQ-qualified installers will fit your lift quickly and safely, working to the highest standards. Once ready for the final stages of lift install we'll provide a detailed handover to ensure you are confident using your lift.



Ongoing support from a leading service company

Every one of our latest Midilift CL products comes with the added reassurance of ongoing servicing through one of our 11 service branches. Our branch network takes care of all makes and models of lifts and our exemplary service levels, breadth of coverage, and 100,000-strong service portfolio set us apart from the competition.





The Stannah Promise
**Always true
to our word**

Meet the family




Stairlifts



Home lifts



Platform lifts



Passenger lifts



Service and goods lifts



Bespoke lifts



Escalators and moving walkways



Lift refurbishments, service and repair

Stannah Lifts

Stannah Lifts
Watt Close, East Portway, Andover SP10 3SD
contact@stannah.co.uk
Telephone: 01264 339090

www.stannahlifts.co.uk

Stannah